#### **Prime Ministers Museum and Library**

#### <u>Teen Murti House</u> <u>New Delhi – 110011</u>

#### **NOTICE INVITING E-TENDER**

#### **INDEX**

Name of Work: - Annual Repair work and M/o of PMML Campus (SH Misc Civil Maintenance and repair works during 2025-26) teen Murti House New Delhi

Sl. No.	DETAILS	PAGES		
1.	Index	Page -1		
2.	Notice Inviting e-tenders	Page -2		
3.	C.P.W.D6 fore-Tendering	Page 3 to 6		
4.	Receipt for Deposit original EMD	Page -7		
5.	Form'F'	Page -8		
6.	Information and Instructions for Contractors for e-Tendering	Page -9-10		
7.	Form-7	Page-11 to 12		
8.	Performa of Schedules	Page -13 to 21		
9.	Scope of work	Page -22		
10.	Annexure I&II	Page -23 to 24		
11.	General Terms & Conditions	Page -25 to 28		
12.	Special Conditions	Page -29 to 31		
13.	Condition forcemeat and steel	Page -32 to 33		
14.	Minimum Quality Assurance Plan	Page -34		
15.	List of Preferred Makes	Page -35 to 38		
16.	Guarantee Bond	Page -39 to 40		
17.	Schedule of Quantities	Page -41 to 45		

NIT No PMML/76-7/2025-26 admin/AR/Mo f or Rs.18,49,304/-(Rupees Eighteen lakh forty nine thousand and three hundred four only.) having Pages No. (1 to 45) is hereby approved.

Director

PMML Teen Murti Campus New Delhi

#### **NOTICEINVITINGe-TENDERS**

The **Director PMML Teen Murti Campus New Delhi**, invites the online **PERCENTAGE RATE** bids from approved and eligible contractors of CPWD in appropriate class for the following work (s): -

NIT No. : - PMML/76-7/2025-26 admin/AR/Mo

Name of Work : Annual Repair work and M/o of PMML Campus (SH Misc

Civil Maintenance and repair works during 2025-26).

**Estimated Cost** :- **Rs.18,49,304/-**

Earnest Money :- Rs.55,500/-

**Period of completion:-** For five months

Last time and date of submission of tender is 29/11/2025 by 5:30 PM (21 days issue of tender)

The tender forms and other details can be obtained from the website <a href="https://www.pmml.nic.in">https://www.pmml.nic.in</a> and <a href="https://www.nmml.ewizard.in">https://www.nmml.ewizard.in</a> and financial bids is to be submitted online through e-wizard portal.

Director

PMML Teen Murti Campus New Delhi

#### **GOVERNMENT OF INDIA**

## PRIME MINISTERS MUSEUM AND LIBRARY NOTICEINVITINGTENDER

#### **FOR e-TENDERING**

Percentage rate bids are invited on behalf of Director PMML from approved and eligible contractor's appropriate class for the following work

Name of Work: Annual Repair work and M/o of PMML Campus teen Murti New Delhi (SH Misc Civil Maintenance and repair works during 2025-26).

The enlistment of the contractors should be valid on the last date of submission of bids.

In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.

- 1. The work is estimated to cost **Rs. 18,49,304** /-This estimate, however, is given merely as a rough guide.
- 2. Agreement shall be drawn with the successful bidders on prescribed (or other Standard Form as mentioned) which is available as a Govt. of India Publication and also available on website. The tender forms and other details can be obtained from the website <a href="https://www.pmml.nic.in">https://www.pmml.nic.in</a> and <a href="https://www.pmml.nic.in">https://www.pmml.nic.in</a> and <a href="https://www.pmml.nic.in">https://www.pmml.nic.in</a> and <a href="https://www.nmml.ewizard.in">https://www.nmml.ewizard.in</a> and financial bids is to be submitted online through e-wizard portal. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **30 Days** from the date of start as defined in schedule 'For from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- 4. The site for the work shall be made available in parts/Full.
- 5. The bid document **consisting** of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from website <a href="https://www.pmml.nic.in">https://www.pmml.nic.in</a> and <a href="https://www.nmml.ewizard.in">https://www.nmml.ewizard.in</a>.
- 6. After submission of the bid the bidder can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- 7. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (hence need- enter rate of all the items) but be for last time and date of submission of bid as notified.
- 8. When bids are invited in three stage system and if it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted, then the bid submitted earlier shall become invalid.
- 9. Earnest Money in the form of insurance Surety Bonds, Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee (for balance amount as prescribed) from any of the commercial Banks drawn in favor of **Director**, **Prime Ministers Museum and Library**, shall be scanned and uploaded to the e-Tendering website within the period of bid submission.

A part of earnest money is acceptable in the form of bank guarantee also. In such case, minimum 50% of earnest money or Rs. 20 lacs, whichever is less, shall have to be deposited in shape prescribed above, and balance may be deposited in shape of Bank Guarantee of any Commercial Bank having validity for six months or more from the last date of receipt of bids which is to be scanned and uploaded by the intending bidders.

The earnest money given by all the tenderers except the lowest tenderer shall be refunded immediately after the expiry of stipulated bid validity period or immediately after acceptance of the successful bidder, whichever is earlier. However, in case of two/ three bid system, earnest money deposit of bidders unsuccessful during technical bid evaluation etc. should be returned within 30 days of declaration of result of technical bid evaluation.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to thee-Tendering website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within a week physically in the office of tender opening authority. Online bid documents submitted by intending bidders shall be opened only of those bidders, whose original EMD deposited and other documents scanned and uploaded are found in order.

9A. The contractors registered prior to 01.04.2015 shall have to deposit tender processing fee at existing rates, or they have option to switch over to the new registration system without tender processing fee any time.

#### The bid submitted shall be opened at 01/12/2025 at 11:00 AM

### 10. The bid submitted shall be come in valid and e-Tender processing fee (applicable) shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload scanned copies of all the documents stipulated in the bid document.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted **physically by the lowest bidder** in the office of bid opening authority.
- (iv) If a tenderer quotes nil rates against each item in item rate tender or does not quote any percentage above/below on the total amount of the tender or any section/sub-head in percentage rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer.
- 11. The contractor whose bid is accepted will be required to furnish performance guarantee at specified percentage of the tendered amount as mentioned in schedule E and within the period specified in Schedule F. This guarantee shall be in the form of insurance Surety Bonds, Account Payee Demand Draft, Fixed Deposit Receipt or Bank Guarantee from any of the Commercial Banks in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee. The contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/ registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board including Provident Fund Code No. if applicable and also ensure the compliance of aforesaid provisions by the sub-contractors, if any engaged by

the contractor for the said work within the period specified in Schedule F.

#### 12. The description of the work is as follows:

### Annual repair and M/o of PMML campus (SH Misc Civil Maintenance and repair works) Teen Murti House, New Delhi, during 2025-26.

Intending bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bids. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not, and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

- 13. The competent authority does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition, including that of conditional rebate is put forth by the bidders shall be summarily rejected.
- 14. Canvassing, whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 15. The competent authority reserves to himself the right of accepting the whole or any part of the bid and the bidders shall be bound to perform the same at the rate quoted.
- 16. The bid for the works shall remain open for acceptance for a period of Thirty (30) days from the date of opening of bid. If any bidders withdraw his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidders shall not be allowed to participate in the retendering process of the work.
- 17. This notice inviting bids shall form a part of the contract document. The successful bidder/contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:
  - a) The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof of together with any correspondence leading thereto.
  - b) Standard C.P.W.D.Form-7 or other Standard C.P.W.D. Form as applicable.
- 20 Water charges @1% Labour Welfare cess @1%, Income Tax, Surcharge and GST as per applicable Govt. rule shall be deducted from the gross amount of the bill.

21. The intending bidders are required to update their profile in CPWD e- tender portal and to upload their bids well in advance of last date of submission of tender. Any issue related to updating profile /uploading tender can be resolved through the concerned Engineer-in-charge. The e-tendering bidders are also advised not to wait to raise any issues till the last date of submission of bid in their own interest.

**Director** 

PMML Teen Murti Campus New Delhi

#### Form 'A'

#### RECEIPT OF DEPOSITION OF ORIGINAL EMD

(Receipt N	0	)
Name of work	:-	Annual Repair and M/o of PMML campus (Sh Misc Civil maintenance and repair works) Teen Murti House, New Delhi, during 2025-26.
NIT No.	:-	PMML/76-7/2025-26 admin/AR/Mo
Estimated Cost	:-	Rs.18,49,304/-
Earnest money deposit	:-	Rs. 55,500/-
Last date of Submission o	f Bid:-	29/11/2025 by 5:30 PM
#1. Name of contractor		
#2.Form of EMD		
# 3. Amount of Earnest Money D	eposit	
#4.Date of submission of EMD		
# To be filled by EMD receiving	in the off	ice of Director of PMML
		Signature

Name and Designation of EMD Receiving Officer

> (PMML )along with Office stamp

#### Form 'F'

### <u>Undertaking on structural stability and soundness of already completed buildings and infrastructure</u> projects.

l/we undertake and confirm that any building/infrastructure constructed by our firm /partnership firm/ company has not suffered any failure, making it unfit for intended use, either due to structural design and defects or due to use of sub-standard material so execution of sub-standard work, poor workmanship or any other reason during the last 25 (twenty-five) years.

l/we, further, undertake that if such information comes to the notice of PMML, then Engineer-in-Charge shall be free to terminate the bid/agreement and to forfeit the entire amount of earnest money deposit, performance guarantee and security deposits.

The decision of Engineer-in-Charge or any higher authority shall be final and binding.

Signature of

Notary with seal

Signature of bidder or an

authorized person of the firm

with stamp

**Note:** Affidavit to be furnished on a 'Non-judicial' stamp paper of Rs.200/-(scanned copy of the notarized affidavit to be uploaded at the time of submission of bid).

### INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE

(Applicable for inviting open bids)

The **Director of PMML Teen Murti Campus, New Delhi.** invites online **PERCENTAGE RATE** bids from approved and eligible Contractors of CPWD in appropriate category for the following work(s): -

S. No.	NIT N0.	Name of work & Location	Estimate d cost puts to bid(s)	Earnest money	Stipulated period of completion of work.	Last date of online submission Of bid,copy of receipt of deposition of original EMD and other documents as specified in the bid document.	Date &time Of opening of bid
1	2	3	4	5	6	7	8
1	PMML/76-7/2025-26 admin/AR/MO	Annual Repair and M/o of PMML campus (Sh Misc Civil maintenance and repair works) Teen Murti House, New Delhi, during 2025-26.	Rs.18,49,304/-	Rs. 55,500/-	30 Days	Up to 29/11/2025 by 5:30 PM	On 01/12/2025 at 11:00 AM

- 1. The intending bidder must read the terms and conditions of CPWD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 2. Information and Instructions for bidders posted on website shall form part of bid document and to be posted on website.
- 3. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website <a href="https://www.pmml.nic.in">https://www.pmml.nic.in</a> and <a href="https://www.nmml.ewizard.in">https://www.nmml.ewizard.in</a>.
- 4. But the bid can only be submitted after deposition of original EMD either in the office of inviting bids ,Account Payee Demand draft or Bankers Cheque or Fixed Deposit Receipts or/ and Bank Guarantee (for balance amount as prescribed) from any of the Commercial Bank towards EMD in favour of **Director**, **Prime Ministers Museum and Library** as mentioned in NIT, receipt for deposition of original EMD to office of **F.A.O Prime Ministers Museum and Library**, **Teen Murti House**, **New Delhi**.
- 5. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website.
- 6. The intending bidder must have valid digital signature to submit the bid.

- 7. On opening date, the contractor can login and see the bid opening process. After opening of bids, he will receive the competitor bid sheets.
- 8. Contractor can upload documents in the form of **JPG** format and **PDF** format.
- 9. Contractor must ensure to quote rate of each item. The column meant for quoting rate in figures appears in pink colour and the moment rate is entered, it turns sky blue.

In addition to this, while selecting any of the cells a warming appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (Zero).

However, If a tenderer quotes nil rates against each item in item rate tender or does not quote any percentage above/below on the total amount of the tender or any section/sub head in percentage rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer.

#### List of Documents to be scanned and uploaded within the period of bid submission:-

1.	Insurance Surety Bonds/Account Payee Demand Draft/Pay order or Banker's Cheque/FDR/Bank Guarantee of any Commercial Bank against EMD.
2.	Copy of receipt for deposition of original EMD to F.A.O, Prime Ministers Museum and Library.
3.	Enlistment order of the contractor.
4.	GST Registration Certificate of the State in which the work is to be taken up, if already obtained by the bidder.
	If the bidder has not obtained GST registration as applicable, then he shall scan and upload following undertaking along with bid documents.  "If work is awarded to me, I/we shall obtain GST registration certificate, as applicable, within one month from the date of receipt of award letter or before release of any Payment by CPWD, whichever is earlier, failing which I/we shall be responsible for any delay in payments which will be due towards me/us on account of the work executed and/or for any action taken by CPWD or GST department in this regard".
5.	Undertaking on structural stability and soundness as per prescribed format Form 'F'.
6.	Any other document as specified in the NIT.

(**Note 1: -**The Contract agency participating in the bid shall ensure the uploading of above mandatory documents in eligibility documents/ additional documents portal so that the same can be free viewed & examined before opening the part of their financial bid.)

**Director** 

PMML Teen Murti Campus New Delhi

•

11

	Form-7

# GOVERNMENT OF INDIA PRIME MINISTERS MUSEUM AND LIBRARY PERCENTAGERATE TENDER&CONTRACTFORWORK

Tender for the work of:- Annual Repair and M/o of PMML campus (Sh Misc Civil maintenance and repair works) Teen Murti House, New Delhi, during 2025-26.

To be uploaded by 29/11/2025 by 05:30 PM

To be opened in through e-wizard portal on 01/12/2025 at 11:00 AM

#### **TENDER**

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

A copy of earnest money deposit receipt of prescribed amount deposited in the form of, Account Payee Demand Draft, Fixed Deposit Receipt, Banker's Cheque or Bank Guarantee (as prescribed) issued by a Commercial Bank, is scanned and uploaded (strike out as the case may be). If I/We, fail to furnish the prescribed performance guarantee within prescribed period, I/We agree that the said or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that or the successors in office shall, without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said Performance Guarantee shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form.

Further, I/We agree that in case of forfeiture of Earnest Money or Performance Guarantee as afore said, I/We shall be debarred for participation in the tendering process of the work.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated: #	
Witness:#	Signature of Contractor#
Address: #	Postal Address #
Occupation:#	
#To be filled by the contractor	
<u>ACCEPT</u>	ANCE
The above tender (as modified by you as provide accepted by me for and on behalf of the Director	
*	
(Rupees	······).
The letters referred to below shall form part of th (a)	is contract agreement: -
(b)	
(c)	
	Signature
Dated:	
	Designation

PROFORMAOFSCHEDULES	

#### **PROFORMA OF SCHEDULES**

#### SCHEDULE'A'

Schedule of quantities:-Page No.38 to50

**SCHEDULE 'D'** 

General Conditions	As per page–27 to 30
Special Condition	As per page–31 to 33
Condition for Cement & Steel	As per page– 34 to 35

#### SCHEDULE'E'

1.	Reference to	<b>General Condition of Contract for CPWD</b>
	General Conditions	works – 2023 (Maintenance work)
	of contract	modified and corrected up to previous day
		of the last date of submission of tender.

Name of Work: Annual Repair and M/o of PMML campus (Sh Misc

Civil maintenance and repair works) Teen Murti

House, New Delhi, during 2025-26.

Estimated Cost of Work: Rs. 18,49,304/-

Earnest money: Rs.55,500/-

(i)Performance Guarantee: 5% of tendered value.

#### **SCHEDULE'F'**

#### **General Rules & Directions:**

Officer inviting tender : **Director of PMML Teen Murti** 

Campus, NewDelhi

**Definitions:** 

2(v) Engineer-in-Charge : Sh. A. K. Tyagi, Consultant

2(viii) Accepting Authority : **Director of PMML Teen Murti** 

Campus, New Delhi.

2(x) Percentage on cost of materials and : 15%

Labour to cover all overheads and

profit

2(xi) Standard schedule of Rates : **DSR2023 with up to date** 

**Correction slips& Market** 

Rate.

2(xii) Department : **PMML Department** 

9(ii) Standard CPWD contract form : **CPWD form-7, General** 

Conditions of Contract Maintenance work 2023 as modified & corrected up to previous day of last date of

submission of tender.

#### Clause-1

i) Time allowed for submission of :
Performance Guarantee, Programme
Chart (Time and Progress) and
Applicable labour license, registration
With EPFO, ESIC and BOCW Welfare
Board or proof of applying

There of from the date of issue of letter of acceptance,

ii) Maximum allowable extension
Late fee@ 0.1% per day of
Performance guarantee amount
beyond the period provided in (i)
above

3 Days

:

7Days

#### Clause2.

Authority for fixing compensation

under Clause 2. **Director of** 

PMML Teen Murti Campus, New Delhi

#### Clause2A

Whether Clause 2 A shall be : **No** 

applicable

#### Milestone(s) as per table given below:-: Not Applicable

#### **Table of Milestone (s)**

	Not Applicable					
110.	(i flysical)	(Hom date of start)	the milestone			
No.	(Physical)	(from date of start)	case of non-achievement of			
Sl.	Description of Milestone	Time allowed in days	Amount to be withheld in			

Time allowed for execution of work: 30 Days Authority to Decide:

1. To convey the decision of **Director**,

shifting of milestone and PMML Teen Murti Campus,

extension of time New Delhi.

2. Re-scheduling of mile stones : **Director** , and

extension of time PMML Teen Murti,
Campus New Delhi,

3. Shifting of date of start in : Director,
Case of delay in handing over of PMML Teen Murti

campus, New Delhi.

Clause5

Clause applicable –(5 or5A) : Clause-5

Number of days from the date of issue of acceptance for reckoning

Date of start: 10days

Clause6 :Computerized

Measurement book (CMB)/ Electronic Measurement book

(EMB)

Mode of measurement : **EMB** 

Clause7

Gross work to be done together : **N.A** 

With net payment/adjustment

Of advances for material collected

If any, since the last such payment for being eligible to interim payment

Clause 7 (A) Whether clause 7 A shall be  $\mathbf{No}$ 

applicable

#### Clause10 A

List of testing equipment to be : As per site requirement

Provided by the contractor at site lab.

Clause 10 B (ii)

Whetherclause10B(ii) : No

Shall be applicable

Clause 10 C : Not applicable

Component of labour expressed :

as Percentage of value of work.l

Clause 10 CA : Not Applicable

Clause 10 CC : Not Applicable

Clause 11

Specification to be followed for this work : The work shall be carried out as per

25%

CPWDSpecification2019Vol-I&II with upto date correction slips & as per direction of Engineer-in Charge

Clause12

Type of Work:- Maintenance work

The completion cost for maintenance work shall in no case not exceed 1.50 times of the contract amount.

Authority to decide deviation upto : Director, PMML, Teen Murti House, New Delhi.

1.25 times of tendered amount

Authority to decide deviation beyond :Director, PMML, Teen Murti House, New Delhi.

1.25 times & up to 1.50 times

of tendered amount

12.2 &12.3 Deviation limit beyond which : NOLIMIT

clause 12.2 & 12.3 shall apply (All deviated quantities shall be

for Building work Paid on agreement rates)

12.5(i) Deviation limit beyond which : ----DO----

clause 12.2 & 12.3 shall apply

for foundation works (except items mentioned in earthwork)

Sub-Headings and related items)

(ii) Deviation limit for items in earth : ----DO----

Work subhead of DSR or related items

Clause 16	Competent Authority for Deciding reduced rates: Director, PMML, TMH, ND.				
Clause 18	List of mandatory machinery, tools& plants to be deployed by the contractor	As per requirement at site and direction of Engineer—in-Charge.			
	at site.				

#### Clause 19

Clause 19C Authority to decide penalty for each default ------
Clause 19D Authority to decide penalty for each default-----
Clause 19G Authority to decide penalty for each default-----
Clause 19K Authority to decide penalty for each default --------

#### Clause25

(i) Conciliator: Director, PMML, Teen Murti House, ND

(ii) (ii)Arbitrator Appointing Authority: -do-(iii) Place of Arbitration: -do-

#### Clause32

Cla	Clause32								
"Re	"Requirement of Technical Representative(s) and Recovery Rates"								
SI. No.	Minimum qualification of Technical Representative	Discipline for(Major + Minor component)	Designation (Principal Technical /Technical Representative	Minimum Experience(years)	Number	recover made contract event of n provision 32(i) (Rs per p Figures	at which y shall be from the etor in the not fulfilling n of clause per month person) words		
1	Graduate Engineer or Diploma Engineer	Civil (1)	Project Manager cum planning/ quality/site billing Engineer	2 or 5 respectively	1	30,000/-	Rupees Thirty Thousand only		

#### Note:

- a. Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineer.
- b. Diploma holder with minimum 10 years' relevant experience with a reputed construction co. can be treated at par with Graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50% of requirement of degree engineer

#### Clause38

I) (a)Schedule/statement for determining
Theoretical quantity of cement & bitumen : Delhi Schedule of Rates 2023

II) Variations permissible on the theoretical quantities:

(a) Cement

For works with estimated cost put to tender

not more than Rs 25 lakh. : 3%plus/minus.

For works with estimated cost put to tender

More than Rs. 25 lakh. : 2% plus/minus.

(b) Bitumen for all works : 2.5% plusonly and nilon

minus side.

(c) Steel Reinforcement and structural steel

Sections for each diameter, section and category: 2% plus/minus

(d) All other materials. : NIL

Director

PMML Teen Murti Campus

New Delhi.

#### 1. SCOPE OF WORK

1.1 Repair work of Store near Annexe Building, PMML Teen Murti House, New Delhi, during 2025-26.

#### 2.0 General specifications

2.1 The common & general specifications for accommodations are mentioned below for guidance only.

**Structure** - as per schedule

**Masonry** - -do-

**External plaster** - -do-

External Finishing - -do-

**Internal Finishing** - -do-

Windows - -do-

**Flooring** - a. Rooms—do-

b. Washrooms & Kitchen--do-

c. Verandah or Porch —do-.

2.2 **Boundary wall** - -do-

**Height** - do-

**Finishing** - -do-

#### **ANNEXURE-I**

### GUARANTEE TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING WORKS.

The Agreement made this	day of	two thousand and
between	son	of
of(here in after call PMML (here in after called the Government of the		he one part) and the Director
WHEREAS THIS agreement is supplement dated and made between Government of the other part, where by the Contract structures in the said contract recited completely was	the GUARANTOR tor, <i>inter alia</i> , underto	OF THE ONE part and the
AND WHEREAS THE GUARANTOR ag structures will remain water and leak-proof for <b>fiv</b> treatment.		
NOW THE GUARANTOR hereby guarante render the structures completely leak- proof and the be <b>five years</b> to be reckoned from the date after the	minimum life of such	waterproofing treatment shall
Providing that the Guarantor will not be structural defects or misuse of roof or alteration and	-	ge caused by earthquake or
<ul> <li>a) Misuse of roof shall mean any operation who of firewood and things of the same nature w</li> </ul>		
<ul> <li>Alteration shall mean construction of an ad adjoining to existing roof whereby proofing</li> </ul>	• •	
c) The decision of the Engineer-in-charge with	regard to cause of lea	ak age shall be final.
During this period of guarantee, the guarantee defect being found render the building water proof cost and shall commence the work for such rectification to the Engineer-in-charge calling upon him be got done by the Department by some other Cordecision of the Engineer-in-charge as to the cost, page 1972.	to the satisfaction of ation within seven day to rectify the defect attractor at the GUAR.	the Engineer-in-charge at his s from the date of issue of the s failing which the work shall ANTOR'S cost and risk. The
That if the Guarantor fails to execute the war Guarantor will indemnify the Principal and his such therwise which may be incurred by him by reaso performance and observance of this supplementary and/or cost incurred by the Government the decision on the parties.	ccessors against all loon of any default the pagreement. As to the a	oss, damage, cost, expense or part of the GUARANTOR in amount of loss and/or damage
IN WITNESS WHERE OF these presents have been for and on behalf of the Director, PMML on the day		
Signed, sealed and delivered by Obligor in the prese	ence of –	
1		
2.		
Signed for and on behalf of the Director	, PMML by	
In the presence of –		
1 2	)	

#### **ANNEXURE-II**

### GUARANTEE TO BE EXECUTED BY CONTRACTORS FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF ANTI-TERMITE TREATMENT WORKS.

The Agreement made this	day of	two thousand and
between	son	of
of_ ,PMML (here in after called the Gov	(here in after called the Guarantor of	the one part) and the Director
, i wivit (here in after caned the Gov	verificant of the other part).	
datedand 1	nt is supplementary to a contract (here made between the GUARANTOR (e by the Contractor, <i>interalia</i> , undertoo	OF THE ONE part and the
structures in the said contract recited	d completely termite proof.	
	JARANTOR agreed to give a guarant for <b>five years</b> from the date of giving	
render the structures completely term to be reckoned from the date after the During this period of guarar defect being found render the buildit cost and shall commence the work founding from the Engineer-in-charge be got done by the Department by decision of the Engineer-in-charge at the Guarantor will indemnify the Protherwise which may be incurred by performance and observance of this	thereby guarantees that anti-termite nite proof and the minimum life of such the maintenance period prescribed in the ntee, the guarantor shall make good a right termite proof to the satisfaction of for such rectification within seven days calling upon him to rectify the defects some other Contractor at the GUARA as to the cost, payable by the Guaranto o execute the termite proofing or comincipal and his successors against all I by him by reason of any default the payable mentary agreement. As to the ament the decision of the Engineer-in-characteristics.	th treatment shall be <b>five years</b> he contract.  All defects and in case of any the Engineer-in-charge at his is from the date of issue of the stailing which the work shall ANTOR'S cost and risk. The or shall be final and binding.  Amits breach thereunder, then oss, damage, cost, expense or part of the GUARANTOR in amount of loss and/or damage
	e presents have been executed by the MML on the day, month and year first	
Signed, sealed and delivered by Obl	igor in the presence of –	
1		
2		
Signed for and on behalf of the Dire	ector, PMML by	
In the presence of –		
1.	2.	

#### **GENERAL TERMS AND CONDITIONS**

- 1. The contractors are advised to get acquainted with the proposed work and its site and also study the Architectural Drawings, specifications and special conditions carefully be for e tendering. No claim of any sort shall be entertained on account of any site conditions and ignorance of specifications and special conditions
- 2. The work shall be carried out as per CPWD specifications 2023 (Vol. I & II) with up to date correction slips. For items which are not covered under CPWD specifications, the special conditions / BIS specifications shall apply. In this regard the decision of Engineer-in-Charge shall be final.
- 3. All materials, T&P, consumable and contingent articles required for the work shall be arranged by the contractor. Materials used shall be in preference as per the nomenclature of the item / as per approved list/ CPWD Specifications and as per directions of Engineer-in-Charge. Replaced materials used shall have same or richer specifications to the original materials and compatible to the work. If any of the accessories available in the market is not ISI marked then decision of engineer in charge is final and will be binding to the contractor.
- 4. All the malba/rubbish/silt/waste/garden waste etc. generated due to any operation/execution of the work shall be brought down through the stair case and shall not be thrown to the ground directly from the upper floors etc. Malba rubbish generated due to any operation from Bungalows/ quarters / premises and its open spaces whatsoever shall be disposed off by the Contractor to the specified dumping point on daily basis else a recovery of Rs. 100/- per Bungalows/ quarters / premises per day shall be made from contractor. The dumping point should be properly barricaded at all the time and should not give ugly look. This malba/rubbish shall further bed is posed to the authorized municipal dhalao/dumping ground as and when the quantity becomes 4.5 cum or one truck and as per direction of Engineer-in-charge. The Malba/ rubbish kept inside the dumping point should be covered with sheet or any other suitable material to avoid dust pollution. In case of malba/ rubbish does not got removed from dumping point, a recovery of Rs.1000/-(rupees One thousand) per day shall be made from the contractor after issuing notice in writing by the Engineer in charge of work. If the malba is not removed with in three days of notice, the same shall be got removed by the department at the risk and cost of the Contractor and the amount shall be recovered from the bill of Contractor. This is in addition to the recovery of Rs. 1000/- per day for delay in removal of malba
- 5. The contractor or his representative shall be available at site on every visit of officer-in-charge as well as visit of senior officers.
- 6. Chases, holes & drilling works etc. shall be done by using power operated tools.
- 7. The contractor shall have to carryout the work other than day to day maintenance according to program given by the Engineer-in-charge. The contractor shall not carry out any work in any building without permission of Engineer-in-charge or his authorized representatives. The contractor shall have to adhere to this program failing which he shall be wholly responsible for any inconvenience caused to the occupants. No claim for idle labour on any account shall been entertained. The contractor shall depute his representative daily to the site of work. His name and Signature shall be attested by the contractor for record in the department.
- 8. The site for the collection and stacking of the material shall be got approved from the Engineer-in-charge.
- 9. The sample of all the items shall have to be got approved by the contractor from the Engineer-in-charge before the supply commences and shall be without prejudiced to the right of the Engineer-in-Charge to get random samples tested out of the actual lot received.

- 10. The Engineer-in-Charge will be at liberty to take respective sample(s) of each item of Schedule of Quantity in any approved laboratory as decided by him. The sample for testing will be provided by the contractor. All expenditure required to be incurred for taking sample, conveyance, packing and testing charges etc. will be borne by the contractor himself. In case any sample particular lot fails in testing, the contractor will be bound to replace the entire lot with fresh material of prescribed specification and the rejected lot will be returned to the contractor only after fresh lot is supplied.
- 11. Rejected materials will have to be removed by the contractor at his own cost immediately of the instructions of doing so.
- 12. In case of any dispute regarding rejection of quality of materials, the decision of the Engineer-in-Charge will be final and binding upon the contractor.
- 13. Other agencies may also be simultaneously executing some other work entrusted to them by the Engineer-in-charge and the Contractor shall offer necessary co-operation wherever required to these agencies so as not to interfere with or hinder the progress or completion of the work being performed by other Contractor (s). He shall as far as possibly arrange his work and shall place and dispose off the materials being used or removed, so as not to interfere with the operations of other Contractors, or he shall arrange his work with that of the others in an acceptable and coordinated manner and shall perform it in proper sequence to the complete satisfaction of Engineer-in-charge.
- 14. Contractor shall ensure the cleanness and watch & ward of the premises / vacant bungalows / quarter / garages etc. till further occupation of the same.
- 15. All taxes applicable at prevalent rates shall have to be paid by the contractor himself and the rates quoted by him shall include these taxes and nothing extra on this account shall be payable.
- 16. The rates for different items of work shall apply for all heights and depths, leads and lifts unless otherwise specified in the agreement or specifications applicable to the agreement.
- 17. Any damage done by the contractor to any existing work during the course of execution of the work shall be made good by him at his own cost.
- 18. Articles manufactured by the reputed firms and approved by Engineer-in-Charge shall only be used. Only articles classified, as 'first quality' by the manufacturer shall be used unless otherwise specified. In case articles bearing ISI certification are not available in the market, quality of samples brought by the contractor shall be judged by standards laid down in the relevant CPWD specifications. For the items not covered by CPWD specifications relevant BIS standards shall apply. The sample of materials to be brought to site for use in work shall be got approved from the Engineer-in-Charge before actual execution of work.
- 19. The contractor shall submit a detailed program of work within 15 days of the date of award of work. The Engineer-in-Charge can modify the program and the contractor shall have to work accordingly.
- 20. The quantities of any item shall not be exceeded beyond the agreement quantities without prior permission of Engineer-in-Charge.
- 21. Statutory recoveries such as on account of GST, Income tax, Surcharge, Construction Worker's Welfare Cess etc. as applicable from time to time shall be made from the gross amount of Running A/c Bill and Final Bill of the contractor.
- 22. The contractor shall make his own arrangements for obtaining electric connection, if required and make necessary payments directly to the department concerned. In the absence of electric connection or failure of power supply, the Contractor shall make his own arrangement of silent type generators as per NGT Guidelines.
- 23. The contractor shall make his own arrangement for getting the permission for entry of trucks carrying materials for the site from the traffic police.
- 24. No payment shall be made to the contractor for any damage caused by rain, snowfall, floods or any other natural causes whatsoever during the execution of work. The damage caused to work shall have to be made good by the contractor at his own cost and no claim on this account shall be entertained.

- 25. The contractor shall take all precautions to avoid accidents by exhibiting necessary caution boards / signages, warning boards, red flags, red lights and providing necessary barriers / barricadingoftheconstructionareaandallothermeasuresrequiredfromtimetotime, **nothing extra shall be paid to agency on this account.** He shall be responsible for all damages and accidents caused due to negligence on his part. No hindrance shall be caused to traffic during the execution of the work by storing materials on the road.
- 26. The contractor shall be fully responsible for the safe custody of the material issued or brought by him to site for doing the work.
- 27. If due to exigency of work, the work is required to be carried out in more than one shift or during night then Contractor will be bound to execute the work accordingly and arrange the T&P and labour etc. No extra claim on this account shall be entertained.
- 28. The rate for all items of work shall, unless otherwise clearly specified, include cost of all labour, material and other inputs involved in the execution of the items.
- 29. In case of any discrepancy found in NIT / tender documents, the order of preference may be read as the following.
  - a) Description of Schedule of Quantities
  - b) Particular Specifications, Additional Conditions and Special Conditions, if any.
  - c) Architectural Drawings
  - d) CPWD Specifications with upto date correction slips.
  - e) Indian Standard Specifications/BIS
  - f) Sound engineering practice.
- 30. Any reference made to any Indian Standard Specifications in these documents, shall imply to the latest version of that standard, including such revisions/ amendments as issued by the Bureau of Indian Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standards applicable to the work at site.
- 31. The contractor will not have any claim in case of any delay by the Engineer-in-Charge in removal of trees or shifting, removing of telegraph, telephone or electric lines (overhead or underground), water and sewer lines and other structure etc., if any which may come in the way of the work. However, suitable extension of time can be granted to cover such delay.
- 32. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment left out of his work and dress the site around the building to the complete satisfaction of the Engineer-in-charge before the work is treated as completed.
- 33. No residential accommodation shall be provided to any of the staff engaged by the contractor. The contractor shall also not be allowed to erect any permanent / temporary set up for his staff in the premises.
- 34. Contractor has to provide drinking water facility in each enquiry office by providing necessary filter (RO) with and his staff. Watch & Ward of Enquiry office shall be the responsibility of the contractor.
- 35. The contractor shall comply with proper and legal orders and directions of the local or public authority or Municipality and abide by their rules and regulations and pay all fees and charges which he may be liable.
- 36. The Contractor shall give due notices to Municipality, Police and/ or other authorities that may be required under the law/ rules under force and obtain all requisite licenses for temporary obstructions/enclosures and pay all charges which may be live able on account of his execution of the work under the agreement. Nothing extra shall be payable on this account.
- 37. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, labour laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Govt. as well as State Govt.

- 38. Any damage caused due to negligence of contractor during the routine maintenance shall be of firm's responsibility. The firm has to make good the same at his own risk and cost.
- 39. Site is located in sensitive and high security & VVIP area, where movement and routes are restricted. The Contractor shall have to apply for passes well in advance for carrying out the work. No claim whatsoever shall be entertained for any loss on this account. Some restrictions may be imposed by the Security staff/ Delhi police on the working and for movement of labour, materials etc.
- 40. The movement of trucks and vehicles shall be regulated in accordance with rules and regulations as approved by competent authority.
- 41. The Contractor shall be bound to follow all such restrictions / instructions and nothing extra shall be payable on this account.
- 42. The Contractor is required to prepare and install appropriate number of Display Boards at suitable locations in the colony / office and also at the Service Centre, to apprise the Residents about the details of Engineer-in-charge etc.
- 43. The Contractor shall not stack building material / malba on NDMC land or road or on the land owned by any other authority and in case of failure to do so, he shall face penal action as per the rules, regulation and bye-laws of the said body or authority. The Engineer-in-Charge shall be at liberty to recover the amount due but not paid to the concerned authorities on account of the above from any amount due to the Contractor including amount of the security deposit or retention money in respect of this Contractor or any other Contract.
- 44. The contractor or his representative is bound to sign the site order book as and when required by the Engineer-in-Charge and to comply with the remarks therein.
- 45. The contractor shall take all necessary precautions to prevent any nuisance or inconvenience to the owners, tenants of adjacent properties and to the public in general and to prevent any damage to such properties and any pollution of smoke, streams and waterways. He shall make good at his cost and to the satisfaction of the Engineer-in-Charge, any damage to roads, paths, cross drainageworksorpublicorprivate property what so ever caused by the execution of the work or by traffic brought thereon by the contractor. Utmost care shall be taken to keep the noise level to the barest minimum so that no disturbance as far as possible is caused to the occupants/users of adjoining buildings.
- 46. The agency has to ensure the safety and protection of all the existing fittings, floorings, fixtures and all other building parts during execution of work, **nothing extra shall be paid to agency on this account.**
- 47. Agency has to submit measurement of work executed during each month, at least once in a month, failing which a recovery of **Rupees Fifty Thousand per month** shall be made from the next Running account / final bill.

#### 48. **Pollution Control Guidelines**

- The guidelines regarding preventive measures for Air Pollution from demolition & construction activities issued by Delhi Pollution Control Committee vide no. DPCC/EIA/Res-001to172/NGT-21/2015/225-408 dated 17.04.2015 and any other guide lines issued till date or during the execution of work, in compliance of Hon'ble National Green Tribunal directions, are applicable to the contractor. All appropriate protective measures as per NGT&DP CC guidelines/directions shall be taken by the contractor and nothing extra shall be payable on this account.
- 49. The contractor shall have to work in pandemic/epidemic conditions such as COVID19 for which he has to make safety arrangement / measures for the workers / staff and for the premises meant for them, as per guidelines issued by Government and directions issued by Engineer-in-charge from time to time and nothing extra shall be paid on this account.

#### SPECIAL CONDITIONS

- 1. EMD in the name of Director, PMML.
- 2. One work order of 80 % of project value (Rs. 18,49,304/-) that is around 14.80 Lakhs and two works order of 60 % of the project value (Rs. 18,49,304/-) that is around is 11.10 Lakhs.
- 3. Bill along with measurement to be submitted by the agency in complete shape.
- 4. In any case, final decision of Director will be binding to all.
- 5. Time for the completion is 30 Days.
- 6. Full quantity or quantity as decided by Engineer-in-Charge of the materials such as paint, Acrylic emulsion paint, Acrylic distemper or any other material required as per schedule of quantity etc. shall be deposited at the office of PMML within 07 days of start of work.
- 7. The contractor shall have to get approved the brands / shades of Acrylic Distemper, Synthetic Enamel Paint, Acrylic Emulsion Paint, Exterior Paint or any other material required as per schedule of quantity etc. from the Engineer-in-Charge within 5 days of start of work and also shall be got checked by the Engineer-in-charge or his authorized representative on receipt of it at site before execution of same.
- 8. The materials required for day's work shall be issued to contractor or his authorized representative daily by the Engineer-in-charge of the work. Any balance of the material left at end of the days of work and the empty containers shall be returned to Engineer-in-charge. The day to day issue account of the materials shall be maintained by the Junior Engineer-in-Charge and shall be signed daily by the Contractor or his authorized agent in token of receipt of the materials failing which no payment of bill shall be made to the Contractor. The empty containers shall not be removed from the site of work without written orders of the Engineer-in-charge.
- 9. Before the commencement of work, the contractor shall prepare one sample as instructed by the Engineer-in-charge. After the sample is approved by the Engineer-in-Charge, the Contractor shall be allowed to commence the work and the quality of work shall confirm to the approved sample.
- 10. In case the Bungalows / quarters are not made available to the Contractor according to the programme, the Contractor shall not be entitled for any claim for idle labour or any other claim on any account what-so-ever.
- 11. No payment will be made to the Contractor for damage caused by rains during the execution of the works and no claim on this account will be entertained.
- 12. Scrapping shall be shown to the Engineer-in-charge and got approved and test checked by him prior to painting or other finishing work.
- 13. To avoid disputes later on, contractor is advised to get the measurement recorded with in a week's time and shall submit his bills as per relevant clauses of contract. Any dispute regarding measurement including work done shall be judged within a week's time failing which measurement, certified and recorded, shall be entertained.
- 14. All doors, windows, floors, furniture, electrical fittings and other articles shall be protected from dust, splashes & damage Splashes & droppings from white washing, colour washing, distempering painting etc. on walls, floors, doors and window, down take pipes / furniture shall be removed by the Contractor at his own cost and the surface cleaned simultaneously after the completion of the day's work is done, without waiting for the actual completion of the other items of work of the contract.
- 15. The Contractor shall comply with the provisions of 'Construction and Demolition Waste Management Rules,2016' as notified by the Ministry of Environment and Forest vide notification dated 29.03.2016 (available at web address <a href="www.moef.gov.in">www.moef.gov.in</a>).
- 16. For some of the specific nature of work such as anti-termite treatment and waterproofing work the specialized agencies to be associated by the contractors. The associated specialized agencies / specialized firm executing the work shall give a specific guarantee that they are responsible for removal of any defects cropping up in these works executed by them during the guarantee period.

- a) The form of the guarantee to be executed by the contractors is given as per annexure attached.
- b) 10% of the amount pertaining to anti-termite treatment and waterproofing work as security deducted from the bills of the contractors will be refunded after expiry of guarantee period in accordance with the terms of the contract in this behalf.
- 17. During execution of work, water supply, installations / fittings & sanitary, installation / fittings, will be dismantled / demolished for which nothing extra shall be paid except the items already exist in the schedule of quantities (civil) attached.
- 18. Any cement slurry added over base surface (or) for continuation of concreting for better bond is deemed to have been included in the items and nothing extra shall be paid on this account.
- 19. If in the description/ nomenclature of item the thickness of board/ ply is mentioned 18mm thick and manufacturer does not provide/manufacture18mmthickboard/ply then 19mm thick board/ply can be used there, for that nothing extra shall be paid on this account, vice versa.
- 20. Agency should take extra precaution for protection of existing floor, wall, fittings, fixtures etc. Nothing extra shall be paid on this account.
- $21. \quad \text{The dismantled material received from the work shall be the property of contractor for which the credit shall be paid on following rates -}$

S. No.	Items/Materials	Rate (in Rs.)
(a)	Cast Iron/ Steel Scrap	27.30perkg.
(b)	CP Fittings	560.75perkg.
(c)	Aluminum Sections, grills, sheets etc.	112.55perkg.
( <b>d</b> )	Wooden doors& windows	
(i)	Ofareaupto3sqmt.	1000/-each
(ii)	Ofareabeyond3sqmt.	1500/-each
(e)	Old Bricks	2.30each

#### CONDITIONSFORCEMENT& STEEL

#### 1. Cement

- The contractor shall procure 43 grade (conforming to IS 8112) Ordinary Portland cement/ PPC as required in the work, from reputed manufacturers of cement, having a production capacity of one million tonnes per annum or more, such as ACC, JK Cement, Ultratech, Shree Cement, etc., i.e. agencies approved by Ministry of Industry, Govt. of India, and holding license to use ISI certification mark for their product. The tenderers may also submit a list of names of cement manufactures which they propose to use in the work. The Engineer-in-charge reserves right to accept or reject name (s) of cement manufacture(s) which the tenderer proposes to use in the work. No change in the tendered rates will be accepted if the Engineer-in-charge does not accept the list of cement manufacturers, given by the tenderer, fully or partially. Supply of cement shall be taken in 50 kg bags bearing manufacturer's name and ISI marking except for concrete from RMC producer where bulk cement can be procured. Samples of cement arranged by the contractor shall be taken by the Engineer in Charge and got tested in accordance with provisions of relevant BIS Codes. In case test results indicate that the cement arranged by the contractor does not conform to the relevant BIS Codes, the same shall stand rejected and shall be removed from the site by the contractor at his own cost within a week's time of written order from the Engineer in Charge to do so. Only the cement with satisfactory test results shall be allowed to be used in the work.
- 1.2 The quantity of cement shall be brought at site as decided by the Engineer in Charge.
- 1.3 Double lock provision shall be made to the door of the cement store. The key of one lock shall remain with the Engineer in Charge or his authorized representative and the key of the other lock shall remain with the contractor. The contractor shall be responsible for the watch and ward and safety of the cement go down.
- 1.4 The contractor shall supply free of charge the cement required for testing and shall also bear the packing, sealing, transportation & other incidental charges. The testing charges of approved laboratory shall be borne by the contractor.
- 1.5 The day to day actual issue/receipt and consumption of cement on work shall be regulated and proper accounts maintained in cement register which shall be issued by Engineer-in-charge.
- 1.6 Cement brought to site and cement remaining unused after completion of work shall not be removed from site without written permission of the Engineer in Charge.
- 1.7 In the event of it being discovered that after the completion of the work the quantity of cement used is less than the quantity ascertained after allowing variation on the minus side as per clause 38, the cost of quantity of cement not so used shall be recovered from the contractor, at the rate of **Rs. 5500/- (Rupees Five Thousand Five hundred only) per metric ton**. This recovery will be in addition to any other recovery otherwise required to be done by the Engineer-in-Charge.

#### 2. Steel for Reinforcement:

- 1.1 The contractor shall procure steel reinforcement TMT bars of grade Fe-500-D confirming to IS code (latest edition) from main producers as approved by the Ministry of Steel and secondary producers of re-rollers having valid BIS licence for TMT bars conforming to relevant BIS code, procurement shall be made from main producers and secondary producers having valid BIS licence. The name of secondary producer however will have to be got approved by engineer-in-charge before procurement. The contractor shall have to obtain and furnish test certificates to the Engineer in Charge in respect of all supplies of steel brought by him to the site of work. Samples shall also be taken and got tested by the Engineer in Charge as per the provisions in this regard in relevant BIS Codes. In case the test results indicate that the steel arranged by the contractor does not conform to BIS Codes, the same shall stand rejected and shall be removed from the site of work by the contractor at his cost within a week's time from written orders from the Engineer in Charge to do so.
- 1.2 The quantity of steel shall be brought at site as decided by the Engineer in Charge.

- 1.3 The steel reinforcement shall be stored by the contractor at site of work in such away as to prevent distortion and corrosion and nothing extra shall be paid on this account. Bars of different sizes and lengths shall be stored separately to facilitate easy counting and checking. The cement slurry to be applied to prevent corrosion. The nothing extra shall payable on this account.
- 1.4 For checking nominal mass, tensile strength, bend test, re-bend test etc. specimen of sufficient length shall be cut from each size of the bar section at random at frequency not less than that specified below: -

Size of Bar	For Consignment below 100 tonnes	For Consignment over 100 tonnes
Under10 mm dia	One sample for each 25 tonnes	One sample for each 40MT
	or part thereof	or part thereof
10 mm to 16 mm	One sample for each 35 tonnes	One sample for each 40MT
	or part thereof	or part thereof
Over 16mm dia	One sample for each 45 tonnes	One sample for each 50MT
	or part thereof.	Or part thereof

- 1.5 The contractor shall supply free of charge the steel reinforcing bars required for testing and shall also bear the packing, sealing, transportation & other incidental charges. The testing charges of approved laboratory shall be borne by the contractor.
- 1.6 The actual issue and consumption of steel on work shall be regulated and proper accounts maintained. The theoretical consumption of steel shall be worked out as per procedure prescribed in clause 38 of the contract and shall be governed by conditions laid therein.
- 1.7 Steel brought to site and steel remaining unused shall not be removed from site without the written permission of the Engineer in Charge.
- 1.8 The contractor shall take all precautions to avoid accidents by exhibiting caution boards day and night. The contractor shall be responsible for all damages and accident due to negligence on his part.
- 1.9 The contractor shall arrange steel reinforcement bars as cut and bend bars from approved workshop/suppliers. In case of non-availability of the same on justified reasons, the same can be manufactured at site, however no extra payment whatsoever shall be made for same.

#### **Minimum Quality Assurance Plan**

#### 1. Maintenance of Register of Tests

- (i) All the registers of tests to be carried out at Construction Sites or in outside laboratories are maintained by the contractor, which are issued to the contractor by Engineer-in-Charge.
- (ii) All Samples of materials including Cement Concrete Cubes are taken jointly with Contractor by Engineer-in-charge as per percentage stipulated in the NIT or as prescribed in the CPWD Works Manual. All the necessary assistance is to be provided by the contractor. Cost of sample of materials including testing charges is to be borne by the contractor and he/she is responsible for safe custody of samples to be tested at site.
- (iii) All the test in field lab setup at Construction Site are carried out by the Engineering Staff deployed by the contractor preferably. The percentages of tests to be witnessed by the field officers are to be decided by the NIT approving authority and stipulated in the NIT keeping in view the nature of work and should form part of QA Plan. In case, no such provision is made in NIT, provisions of CPWD Works Manual shall be applicable.
- (iv) All the entries in the registers are made by the designated Engineering Staff of the contractor and same is regularly reviewed by the field officers as well as the Engineer-in-Charge. Contractor is responsible for safe custody of all the test registers.
- (v) Contractor shall be responsible for safe custody of all the test registers.

Submission of copy of all Test Registers, Material at Site (MAS) Register along with each alternate Running Account Bill and Final Bill shall be mandatory. These registers should be duly checked by Engineer-in-charge and receipts of registers should also be acknowledged by Accounts Officer by signing the copies and register to confirm receipt in Division office.

#### 2. Maintenance of Material at Site (MAS) Register-

- a) All MAS Registers including Cement and Steel Registers are maintained by Contractor which are issued to the contractor by Engineer-in-Charge.
- b) Each entry of receipt of material at site is 100% test checked by Engineer-in-charge.
- c) Each MAS Register is checked by Engineer-in-charge at least once a week.
- d) Cement Register is reviewed by Engineer-in-charge at least once in a month for work at same station and alternate months for work at outstation.
- e) It shall be mandatory for the field staff to retain self-attested (by agencies/contractors) copies of Tax paid bills of the material entered in the MAS register viz, steel, cement, bitumen, paint, prime, distemper, varnishes, Tile adhesive, admixture, anti-termite chemical, water proofing compound material and any other item as decided by the NIT approving authority.
- f) Self-attested copies of Tax paid bills of material taken in MAS register shall be obtained by the field staff from the agencies/ contactors before settling the payment. In case of any doubt the same can be verified by the filed staff. However, the onus of genuineness of Tax paid bills rests with the agencies/contractors.

#### 3. Testing of Material at Site or in lab-

The contractor shall supply free of charge the sample materials required for testing and shall also bear the packing, sealing, transportation & other incidental charges. The material and its frequency to be tested shall be as per <u>CPWD</u> specifications or its relevant codes or as decided by Engineer-in-charge. The testing charges for all samples shall be borne by the contractor.

#### LISTOFPREFERRED MAKES

Specification/ brands names of materials (Refer materials, whichever are applicable for the scope of work) and finishes approved by the Engineer-in-Charge are listed below. However approved equivalent materials and finishes of any other specialized firms may be used, incase it is established that the brands specified below are not available in the market and subject to approval of the alternate brand by the Engineer-in-Charge (See also conditions of contract).

Sl.No.	Materials	Approvedmake
1	Ceramic Glazed/Rectified Ceramic Glazed / Vitrified Floor / Wall Tiles	Johnson/Somany/Kajaria/Nitco/Orientbell/ AGL / Oasis / Varmora/ Hindware
2	Chequered CC Tiles	Nitco / KK / Unistone / Dalal /Advent/ ABC/Krishna / Kirti Spun Pipes
3a	Bathroom CP Fittings (Bungalow)	Jaquar/Johnson/Marc/Cera/ Kohler
3b	Bathroom CP Fittings (ServantQuarters,Type1&2)	Prayag
4	Sanitary Wares	Hindware/Kohler/Johnson/Cera/Parryware / Jaquar
5a	Kitchen Sink (Stainless Steel) (Bungalow)	Neelkanth/Jayna/Anupam/Nirali/Cera
5b	Kitchen Sink (Stainless Steel)(Servant Quarters Type 1 & 2)	Prayag
6	PVC Tank (ISI Marked)	Sintex/Storex/Unitank/Sheetal/SPL
7	PVC Cistern	Commander/Duralite/Hindware/Coral/SteelBird
8	Precast Cement Concrete Slab	Nitco / KK / Konkrete Products Co. / Dalal/ Kirti Spun Pipes
9	G.I. Sheet	SAIL/TataShakti/Jindal/Swastik
10	G.I. Pipe (ISI Marked)	JindalHissar/Tata/PrakashSurya /Zenith
11	G.I. Fittings(ISI Marked)	Unik/UK/ Surya/Prakash
12	Structural steel Sections C,I, Tee, Angle, Flats, Bars etc. (ISI Marked)	TISCO/Jindal/ SAIL/Rana/Rathi
13	TMT bars (ISI Marked)	TATA/RINL/ SAIL/TISCO
14	Steel tube shot finished welded Type	BST/ Jindal/Ravindra/ Surya
15	Block Board, Ply Wood, MDF Board	Century/Duro/Greenply/Merino/ActionTesa Bhutan tuff / Archid Ply /
16	Lamination Sheet/Veneer	Century/Duro/Merino/Greenlam/Bhutantuff /ArchidPly/
17	Flush Doors	Century / Greenply / Action Tesa / Sumai (Spacewood)/Orion/Duro/JaynaDoorsofJain woodIndustries/JainDoorsPvt.Ltd./Bhutan tuff/ArchidPly/
18	Factory made chamfered edge CC Interlocking paver Block, Kerb Stone	NITCO/KK /Konkrete/ Terra Firma /Dalal / Advent / Kirti Spun Pipes
19	Precast R.C.C. manhole & gully trap covers, frames and gratings	KK/Konkrete/ Pragati
20	Fibre Glass sheet and Chajjas	Rooffit of Shiv Shakti Fiber Udhyog / Fibreways Technology / Simba
21	Acrylic washable Distemper	Berger/Nerolac/ICI/ Asian/Acro
22	Acrylic Emulsion Paint/Premium Acrylic Emulsion Interior paint	Berger/Nerolac/ICI/ Asian/Acro
23	Premium acrylic emulsion/Acrylic Emulsion Exterior Paint	Berger/Nerolac/ICI/ Asian/Acro
24	Primer	Berger/Nerolac/ICI/ Asian/Acro
25	Synthetic Enamel Paint	Berger/Nerolac/ICI/ Asian/Acro
26	P.O.P.	J.K./Laxmi/Birla/ AsianPaint/ Sakarni
27	Decorative Paints	Oikos/SKK/ Armourcoat/Ultratech/Acro
28	Modular kitchen Accessories	Stallion/SparkleTop/Hettich/Godrej/Hafele /Dorset /Blum/Kich / Hardueyn
29	Brass Door/Window Fittings	Sigma/Bush/Dorset/Hettich/Dorma/ Hardueyn
30	Dash Fastener	Hilti/Fisher/Canon/ Wuerth
31	Hydraulic Door Closer	Hardwyn/Godrej /Dorma/Dorset / Hafele

33 White Cement based Putty BirlaWallCare/J.K.WallCare	re/ Berger
34 Aluminum Sections Jindal/Hindalco/Indalco/Ind	
	ales Corporations / BIC / RPMF /
36 Tempered Glass/ GlassPan ModiFloat/SaintGobain/As	sahi/ Atul
37 Bevelled Edge Mirror Atul/SaintGobain/ModiGua	ard/GoldenFish
38 PTMT Fittings Prayag/Wilson/ Polytuf	
39 Polymer Modified Cementitious Grout BalEndura / Laticret MAKPHALT	te / Ferrous Crete /
40 Non Shrink Cementous Grout Xypex/Fosroc/Krytone/Fer	rocrete/
41 AC Pipes (Mazza) AInfrastructureLtd./Apurva Gen. Mfg. Co. Ltd.	aVinimayPvt.Ltd./ Kanoria Sugar
42 Cement Board Bison/Everest/Shalimar /No	CL
43 Aluminum Composite Panels Aludecore/Alstron Alutech	ng/Alucobond/ Aluco Pan / Virgo /
44 Wood Polish AsianPaints/PidliteIndustrie	ies/ICIDulux/ Wembley
45 Gypsum Board St.Gobain/GyprocGypsum/	/Boral/Everest
46 Calcium Silicate False Ceiling System Along with supportings Aerolite/Everest/NCL/ Hilu supportings	ux/Gyptech
47 All hardware and fittings other than brass for doors, windows etc.  Dorma/Hafele/Geze/Ozone	e/Kich/Hettich/ Dorset / Hardwyn
48 Adhesive/Epoxy Grout for Floor Tiles, Marble Stone, Granite Stone etc. FerrousCrete/ArdexEndure (FevimateXI)/MYKLaticre /MAKPHALT/HomePride	
49 Waterproofing compounds Grace / Fosroc / BASF / Pic Bauchemie / STP Ltd. / MA	
50 FRP Doors & Frames Ashoo Model Arts,	, Selected Product Co., d Jayna Doors of Jain wood
51 Laminated flooring ActionTesa/Vista/Pergo / P	
52 Stainless Steel Railing Kich/Dorma/QRailing/ Fity	
53 Cement(OPC/ PPC) ACC/ JK Cement/Ultratech	h/ Shree Cement
54 Engineered wooden flooring Mikasa(GreenlamIndustries	esLtd.),/Pergo/ Parador /Woodart
55 Drapery Rod Vista/MAC/ Magnum	
56 PVC Pipe/CPVC Pipe Supreme/Astral/Ashirvad/F	Prakash/ Finolex
57 Foam/ Cushion Sleepwell/Kurl-on/MMFoa	
58 Fabric/Cloth for Sofa Eden / Kundan / Bealene /	GM / Velvolene and Nimoco
59 Fabric/Cloth for Curtain G.M.Fabric /NeptuneFurnis / Shri Radhika Furnishing / Pvt.Ltd./NewCastle/Mahav /Bombay Dyeing	/ Jai Mahavir Textile
60 GRG false ceiling Diamondceilings/Gyproc(S	SaintGobain)/USG Boral / Gyptech
61 Metal false Ceiling Armstrong, HunterDouglas,	,gyptechHi-Steel.
62 APP(A tactic Polypropylene Polymer) Shivamtarproduct,MAK P	
63 CI Valve Deepakvalve	
64 U.P.V.C fitting KakaIndustries,RajshriPlas	stiwood

 $Note: - The weight and thickness of the material should be a specification / \ relevant\ IS\ code\ / manufacturer\ specification.$ 

#### Onnon-judicialstamppaperofminimumRs.100

# (Guarantee offered by Bank to PMML in connection with the execution of contracts) Form of Bank Guarantee for Earnest Money Deposit / performance Guarantee / Security Deposit

	Security Deposit
1.	Whereas the Director
	Government has further agreed to accept an irrevocable Bank
	Guarantee for Rs(Rupeesonly)valid upto
	(date)*as Earnest Money Deposit from (name and address of contractor)
	(here in after called" the contractor") for compliance of his obligations in accordance
	With the terms and conditions of the said NIT.
	or**
	*Whereas the Director, PMML, New Delhi on behalf of the competent authority, Prime
	Ministers Museum and Library has entered into an agreement bearing number
	with(name and address of the contractor).(hereinafter called "the
	Contractor") for execution of work(name of work)The Government has
	Further agreed to accept an irrevocable Bank Guarantee for Rs(Rupees only)
	valid upto (date) as Performance Guarantee / security Deposit from the said
	Contractor for compliance of his obligations in accordance with the terms and conditions of the
	agreement.
2.	We, (indicate the name of the bank) (herein after referred to as "the Bank"), hereby
	Under take to pay to the Government an amount not exceeding Rs(Rupees
	only) on demand by the Government within 10 days of the demand.
3.	We,(indicate the name of the Bank) do here by under take to pay the amount due
	And payable under this guarantee without any demur, merely on a demand from the Government
	stating that the amount claimed is required to meet the recoveries due or likely to be due from
	the said contractor. Any such demand made on the Bank shall, be conclusive as regards the
	amount due and payable by the Bank under this Guarantee. However, our liability under this
	guarantee shall be restricted to an amount not exceeding Rs (Rupees only)
4.	We, (indicate the name of the Bank) , further undertake to pay the
	Government any money so demanded notwithstanding any dispute or disputes raised by the
	contractor in any suit or proceeding pending before any court or Tribunal, our liability under this
	Bank Guarantee being absolute and unequivocal. The payment so made by us under this Bank
	Guarantee shall be a valid discharge of our liability for payment there under and the contractor
	shall have no claim against us for making such payment.
5	We,(indicate the name of the Bank) further agree that the Government shall have
٦.	
	the fullest liberty without our consent and without affecting in any manner our obligation here
	under to vary any of the terms and conditions of the said agreement to extend time of
	performance by the said contractor from time to time or to postpone for anytime or from time
	to time any of the powers exercisable by the Government against the said contractor and to
	forbear or enforce any of the terms and conditions relating to the said agreement and we shall
	•
	not be relieved from our liability by reason of any such variation or extension being granted to
	the said contractor or for any for bearance, act of mission on the part of the Government or any
	indulgence by the Government to the said contractor or by any such matter or thing whatsoever
	which under the law relating to sureties would, but for this provision, have effect to fore loving
	us.
6	6. We, (indicate the name of the Bank) further agree that the Government at its option
	shall be entitled to enforce this Guarantee against the Bank as a principal debtor at the first

instance without proceeding against the contractor and notwithstanding any security or other

guarantee the Government may have in relation to the Contractor's liabilities.

7. This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor.
We,undertaken to revoke this Guarantee except with the consent of the Government in writing.
8. This Bank Guarantee shall be valid up to unless extended on demand by the Government. Notwithstanding anything mentioned above, our liability under this guarantee is restricted to Rs(Rupees only) and unless a claim in writing is lodged with us within the date of expiry or extended date of expiry of this guarantee, all our liabilities under this guarantee shall stand discharged.
Date
Witnesses:
Signature
Authorized signatory Name and address
Name Designation Staff code no.
Signature
Bank seal
Name and address

<sup>\*</sup>Date to be worked out on the basis of validity period of 90 days where only financial bids are invited and 180 days for two / three bid system from the date of submission of tender / bid.

<sup>\*\*</sup>In paragraph 1, strike out the portion not applicable. Bank Guarantee will be made either for earnest money or for performance guarantee / security deposit as the case may be.

### FORMOFPERFORMANCESECURITY(GUARANTEE)BANK GUARANTEE BOND

In consideration of the Director, Prime Ministers Museum and Library having offered to accept

	terms and conditions of the proposed agreement	
said		for the
 Gua	k(hereafter called "the said agreement") having rantee(Rupees	for
as a	security/guarantee from the contractor (s) for complicerms and conditions in the said agreement.	•
the	name of the Bank) undertake to pay to the(RupeesOnly) or	e Government in amount not exceeding
2)	We do here payable	by undertake to pay the amounts due and
	(indicate the name of the Bank) under this Guara from the Government stating that the amount claim likely to be due from the said contractor(s). As conclusive as regards the amount due and payable our liability under this guarantee shall be restricted	med is required to meet the recoveries due or ny such demand made on the Bank shall be to by the bank under this Guarantee. However, and to an amount not exceeding Rs.
3)	We, the said bank further undertake to pay to notwithstanding any dispute or disputes raised by pending before any court or Tribunal relating to absolute and unequivocal.  The payment so made by us under this bond shall be	by the contractor(s) in any suit or proceeding thereto, our liability under this present being the a valid discharge of our liability for payment
	there under and the contractor(s) shall have no cla	im against us for making such payment.
4)	We	emain in full force and effect during the period aid agreement and that it shall continue to be under or by virtue of the said agreement have ged or till Engineer-in-Charge on behalf of the ns of the said agreement have been fully and
5)	Government that (indicate the name of the liberty without our consent and without effecting vary any of the terms and conditions of the said a the said contractor(s) from time to time or to post the powers exercisable by the Government again enforce any of the terms and conditions relating relieved from our liability by reason of any such v contractor(s) or for any forbearance, act of omi indulgence by the Government to the said co whatsoever which under the law relating to suretiso relieving us.	e Bank) the Government shall have the fullest g in any manner our obligations hereunder to greement or to extend time of performance by pone for any time or from time to time any of nst the said contractor (s) and to forbear or g to the said agreement and we shall not be ariation, or extension being granted to the said ssion on the part of the Government or any ntractor(s) or by any such matter or thing

6)	This guarantee v contractor(s).	will not be discharged due to the change in	the constitution of the Bank or the
7)	We		lastly undertook not
	To revoke this(in	ndicate the name of the Bank) guarantee exc	cept with the previous consent of the
	Government in v	writing.	
8)	This guarantee s	hall be valid upto Unless extended	on demand by Government.
	Notwithstanding	g anything mentioned above, our liability a	gainst this guarantee is restricted to
	Rs	(Rs	only) and unless a claim
	in writing is lodg	ged with us within six months of the date of	expiry or the extended date of expiry
	of this guarantee	e all our liabilities under this guarantee shall	l stand discharged.
	Dated the	day of	for
		(indica	ate the name of bank)

#### **SCHEDULE OF QUANTITY**

<u>Name of work</u>: - Annual Repair and M/o of PMML campus (Sh Misc Civil maintenance and repair works) Teen Murti House, New Delhi, during 2025-26.

Mr. Anurag Arora

(Manager Admin)

Prime Ministers Museum and Library

Teen Murti House

New Delhi-110011

#### **SCHEDULE OF QUANITY**

Name of Work: A/R & M/o to PMML Campus. (SH: Misc civil Maintenance and Repair works during 2025-26.)

S.No	Code	Description	Qty	unit	Rate	Amount
1	NS	Maintenance and upkeep of all internal and external assets under PMM Complex at New Delhi complete with all required material as per site and quality including all required labour and with their T&P etc. as required on all days including Sundays and national holidays comprising following operation as per the details of quarters, building,				
		external services and as per the details given below :-				
	(a)	Attending various day to day complaints of rectifying the defects by deploying Fitter alongwith necessary T & P for changing / replacing / repairing the fittings and fixtures of G.I. pipes lines, rain water pipes, soils & waste pipes, gully traps, floor traps, house drain, SW drain of any dia and maintenance of all services to upkeep the property etc. complete as per the directions of the Engineer-in-Charge for all floor and levels. However all materials, fittings / fixtures etc. required shall be supplied by the department free of cost. The duty hours of Fitter shall be treated as 8 hours equal to one day job. (a) Fitter	5	each per month	35446.00	177230
	(b)	Attending various day to day complaints and rectification of all electrical installations in various location along with necessary T & P, sundry material like sand, cement, POP, dash fastener, clamps, nut bolts, rawl plugs, insulating tapes, thimbles, glands, PVC sleaves, junction cover, hylum sheet, neutral links of MCB DB, screws etc. as reqd. Installations comprises of internal electrical, external electrical, distribution board, main board and all type of light fixtures like brass bracket, fluorescent fitting, gate light, lawn/compound light, security light etc. and electrical installations like Ceiling fan, exhaust fan, fresh air fan and pump set etc. including repairing/replacement of these fixtures and gadget, repainting etc. as and where ever required and as per attached terms and conditions. All complaints and work executed				
		shall be properly recorded in the complaint register and documented.	5	per month	35446.00	177230

(c) Attending various day to day complaints of rectifying the defects by deploying Carpenter alongwith necessary T & P for joinery work such as repairing of doors, windows, cupboards, pelmets, fittings, section windows, aluminium fixtures and utilities, replacement of window glass panes, looking mirrors, glass shelves, towel rods, towel rings, hooks, door closers, door springs, ply work, boards, panels, beadings, battens and bottom/ lock/ top rails and styles of doors, fittings etc., all complete as per the directions of the Engineer –in-Charge for all floor and levels. The required materials shall be issued by the department free of cost. The duty hours of Carpenter shall be treated as 8 hours equal to one day job. (a)  Carpenter 5 month 35446.00 17723  (d) Attending various day to day complaints of rectifying the defects by deploying Sewerman alongwith necessary T & P by cleaning of blocked rain water pipes, soil /waste pipes, gully traps, floor traps, house drains, SW
rectifying the defects by deploying <u>Sewerman</u> alongwith necessary T & P by cleaning of blocked rain water pipes, soil /waste pipes, gully traps, floor traps, house drains, SW
drains of any dia, manholes, road gully chambers etc. including removal of malba such as grit, kankar, rubbish etc. complete as per the directions of the Engineer-in- Charge for all floor and levels. The required materials shall be issued by the department free of cost.  The duty hours of Sewerman shall be treated as 8 hours equal to one day job. (a) Sewerman 5 month 32279.00 16139.
(e) Providing services of unskilled labours for necessary assistance to Fitter/ Carpenter etc. for timely safe and successful operation of the jobs of Fitter/ Carpenter etc. as per work requirement. The duty hours of unskilled labour shall be treated as 8 hours equal to one day job. (a) Beldar 10 month 29111.00 29111
2 NS Collection Debris/malba from different places of campus and collected in one place for further disposal. 10 per day 3198.00 3198.00
3       1.1.1       Lime, moorum, building rubbish 5 km, Beyond 5 km upto 10 km per km & Beyond 10 km upto 20 km per km.       60 cum       504.80       30288
4 4.1 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:
(a) 4.1.2 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) 2 cum 8340.85 16682
(b) 4.1.3 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) 10 cum 7878.50 78785
5 4.3 Centering and shuttering including strutting, propping etc. and removal of form work for :
(a) 4.3.1 Foundations, footings, bases for columns 50 sqm 392.15 19608
6 6.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:

(a)	6.1.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	3	cum	7370.65	22112
7	6.12	Half brick masonry with common burnt clay	,		701010	
		F.P.S. (non modular) bricks of class designation				
		7.5 in foundations and plinth in :				
(a)	6.12.2	cement mortar 1:4 (1 cement : 4 coarse sand)	20	sqm	905.05	18101
8	6.14	Extra for half brick masonry in superstructure,				
		above floor V level for every four floors or part				
		thereof by mechanical means.	20	sqm	15.00	300
9	6.15	Extra for providing and placing in position 2				
		Nos 6mm dia. M.S. bars at every third course				
		of half brick masonry.	20	sqm	104.80	2096
10	13.41	Distempering with 1st quality acrylic				
		distemper (ready mixed) having VOC content				
		less than 50 gram/litre, of approved				
		manufacturer and of required shade and				
		colour all complete to achieve even shade and				
		colour:				
(a)	13.41.1	New work (two or more coats) over and				
		including water thinnable priming coat with				
		cement primer having VOC content less than				
		50 gram/litre	200	Sqm	185.65	37130
11	13.46	Finishing walls with Acrylic Smooth exterior				
		paint of required shade :				
(a)	13.46.1	New work (Two or more coat applied @ 1.67				
		Itr/10 sqm over and including priming coat of	200	Cam	160.60	22120
12	13.61	exterior primer applied @ 0.90 litre/10 sqm)  Painting with synthetic enamel paint of	200	Sqm	160.60	32120
12	13.61	approved brand and manufacture to give an				
		even shade :				
(a)	13.61.1	Two or more coats on new work	200	Sqm	155.90	31180
13	13.80	Providing and applying white cement based	200	54	133.30	31100
-5		putty of average thickness 1 mm, of approved				
		brand and manufacturer, over the plastered				
		wall surface to prepare the surface even and				
		smooth complete.	300	Sqm	156.05	46815
14	14.1	Repairs to plaster of thickness 12 mm to 20				
		mm in patches of area 2.5 sq.meters and				
		under, including cutting the patch in proper				
		shape, raking out joints and preparing and				
		plastering the surface of the walls complete,				
		including disposal of rubbish to the dumping				
		ground, all complete as per direction of Engineer-in-Charge.				
(a)	14.1.1	With cement mortar 1:4 (1 cement : 4 fine				
(a)	14.1.1	sand)	100	sqm	547.40	54740
(b)	14.1.2	With cement mortar 1:4 (1cement: 4 coarse	100	34111	347.40	34740
(2)		sand)	150	sqm	560.50	84075
15	14.5	Renewing glass panes, with putty and nails		1		
		wherever necessary including racking out the				
		old putty:				
(a)	14.5.1	Float glass panes of nominal thickness 4 mm				
		(weight not less than 10kg/sqm)	15	sqm	1090.65	16360
(b)	14.5.2	Float glass panes of nominal thickness 5 mm				
		(weight not less than 12.5kg/sqm)	15	sqm	1416.15	21242

17  14.72  Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the
seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required
connection with the building etc wherever required for inspection of work at required
required for inspection of work at required
workmen etc. complete as per directions and
approval of Engineer-in-charge .The
elevational area of the scaffolding shall be
measured for payment purpose .The payment
will be made once irrespective of duration of
scaffolding. Note: - This item to be used for
maintenance work judicially, necessary
deduction for scaffolding in the existing item
to be done. 400 sqm 338.25 135300
16 14.81 Cutting holes of required size in brick masonry
wall for fixing of exhaust fan including
providing and fixing 300 mm dia PVC pipe
conforming BIS-12818 and making good the
same etc. complete as per direction of Engineer-in-charge. 50 sqm 288.1 14405
17 15.2 Demolishing cement concrete manually/ by
mechanical means including disposal of
material within 50 metres lead as per direction
of Engineer - in - charge.
(a) 15.2.1 Nominal concrete 1:3:6 or richer mix (i/c
equivalent design mix) 5 cum 2434.25 12171
18 15.7 Demolishing brick work manually/ by
mechanical means including stacking of
serviceable material and disposal of
unserviceable material within 50 metres lead
as per direction of Engineer-in-charge.
(a) 15.7.4 In cement mortar 5 cum 2060.20 10301
19 16.69 Providing and laying at or near ground level
19 16.69 Providing and laying at or near ground level
factory made kerb stone of M-25 grade
factory made kerb stone of M-25 grade cement concrete in position to the required
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand),
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-incharge (length of finished kerb edging shall be
factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-

20	16.82	Taking out existing kerb stones of all types from footpath/ central verge, including removal of mortar etc., disposal of unserviceable material to the dumping ground, for which payment shall be made				
		separately and stacking of serviceable material				
		within 50 metre lead as per direction of				
		Engineer-in-Charge.	50	Mtr	39.35	1968
21	13.80	Providing and applying white cement based				
		putty of average thickness 1 mm, of approved				
		brand and manufacturer, over the plastered				
		wall surface to prepare the surface even and				
		smooth complete.	300	sqm	156.05	46815
22	13.46	Finishing walls with Acrylic Smooth exterior paint of required shade :				
	13.46.1	New work (Two or more coat applied @ 1.67				
		ltr/10 sqm over and including priming coat of				
		exterior primer applied @ 0.90 litre/10 sqm).	500	sqm	160.60	80300
					Total	1849304